

PRODUCT END-OF-LIFE NOTICE

ADX 1000/4000/10000 and Associated Field Replaceable Units

Brocade is initiating the End of Life (EOL) process for the ADX 1000/4000/10000.

Brocade will continue to offer and provide support for the EOL products for five (5) years from the Last Customer Ship (LCS) date announced below for customers with a valid support contract, subject to Brocade support policies.

The objective of the Brocade account management team is to assist you when you are making your final purchases of products that will be EOL and to smoothly transition you to the new products by planning to the following milestones:

ADX 1000/4000/10000	Date
EOL Notification Date	January 06, 2016
Last Time Order (LTO) Final, Non-Cancelable, Non-Returnable Order Due Date (Subject to lead time and availability)	May 06, 2016
Last Customer Ship (LCS) Date	July 06, 2016
End of Support (EOS) Date	July 06, 2021

Note: Last Supported software release for this product is 12.5.x.

Brocade Part Number	Description	Recommended Alternate Solution
SI-1008-1-SSL	1 APP PROC, 8X1G, 1 AC PS, FACTORY-ACTIVATED SSL	See Replacement Products
SI-1008-1-PREM	1 APP PROC, 8X1G, 1 AC PS, L3/IPV6 SW	See Replacement Products
SI-1008-1-DC	1 APP PROC, 8X1G, 1 DC PS	See Replacement Products
SI-1008-1-SSL-PREM	1 APP PROC, 8X1G, 1 AC PS, FACTORY-ACTIVATED SSL, L3/IPV6 SW	See Replacement Products
SI-1216-4-SSL	4 APP PROC, 16X1G, 2X10G, 1 AC PS, FACTORY-ACTIVATED SSL	See Replacement Products
SI-1016-4-SSL-PREM	4 APP PROC, 16X1G, 1 AC PS, FACTORY-ACTIVATED SSL, L3/GSLB/IPV6/MT SW	See Replacement Products
SI-1008-1	1 APP PROC, 8X1G, 1 AC PS	See Replacement Products
SI-4000-ASM8-P-B	4RU CHASSIS, 1 ASM8, 1 MM, 1 SFM, 2 AC PS, FAN, L3/GSLB/IPV6/MT SW	See Replacement Products
SI-1216F-4	4 CORE, 8 1GIGE CU, 16 1GIGE FI-NO OPTICS, 2 10GIGE FI-NO OPTICS, 1 AC PS	See Replacement Products
SI-1016F-4	4 CORE, 8 1GIGE CU, 16 1GIGE FI-NO OPTICS, 1 AC PS	See Replacement Products
SI-4000-ASM8-P-B-2	4RU CHASSIS, 1 ASM8, 1 MM-2, 1 SFM, 2 AC PS, FAN, L3/GSLB/IPV6/MT SW	See Replacement Products
SI-4000-ASM4-P12-B-2	SI-4000,ASM4,MM-2,PREM,12GF,8SFP,DUAL AC	See Replacement Products
SI-1008F-1	1 CORE, 8 1GIGE CU, 8 1GIGE FI-NO OPTICS, 1 AC PS	See Replacement Products
SI-4000-ASM4-P12-B	SI-4000,ASM4,MM,PREM,12GF,8SFP,DUAL AC	See Replacement Products
SI-1016F-2	2 CORE, 8 1GIGE CU, 16 1GIGE FI-NO OPTICS, 1 AC PS	See Replacement Products
SI-1008F-1-DC	1 CORE, 8 1GIGE CU, 8 1GIGE FI-NO OPTICS, 1 DC PS	See Replacement Products
SI-1016-4-PREM	4 APP PROC, 16X1G, 1 AC PS, L3/GSLB/IPV6/MT SW	See Replacement Products
SI-1016-4	4 APP PROC, 16X1G, 1 AC PS	See Replacement Products
SI-1216-4-PREM	4 APP PROC, 16X1G, 2X10G, 1 AC, L3/GSLB/IPV6/MT SW	See Replacement Products
SI-1216-4	4 APP PROC, 16X1G, 2X10G, 1 AC PS	See Replacement Products
SI-1016-2-DC	2 APP PROC, 16X1G, 1 DC PS	See Replacement Products

SI-1016-2	2 APP PROC, 16X1G, 1 AC PS	See Replacement Products
SI-1016-2-PREM-DC	2 APP PROC, 16X1G, 1 DC PS, L3/GSLB/IPV6 SW	See Replacement Products
SI-1016-2-PREM	2 APP PROC, 16X1G, 1 AC PS, L3/GSLB/IPV6 SW	See Replacement Products
SI-4000	4 RU CHASSIS, 1 AC PS, 1 SF, FAN	See Replacement Products
SI-1016-2-SSL	2 APP PROC, 16X1G, 1 AC PS, FACTORY-ACTIVATED SSL	See Replacement Products
SI-1016-4-SSL	4 APP PROC, 16X1G, 1 AC PS, FACTORY-ACTIVATED SSL	See Replacement Products
SI-1016-2-SSL-PREM	2 APP PROC, 16X1G, 1 AC PS, FACTORY-ACTIVATED SSL, L3/GSLB/IPV6 SW	See Replacement Products
SI-4000-PREM	4RU CHASSIS, 1 AC PS, 1 SF, FAN, L3/GSLB/IPV6/MT SW	See Replacement Products
SI-4000-DC	4 RU CHASSIS, 1 DC PS, 1 SF, FAN	See Replacement Products
SI-10K-PREM	10RU CHASSIS, 2 AC PS, 2 SF, FAN, L3/GSLB/IPV6/MT SW	See Replacement Products
SI-10K	10RU CHASSIS, 2 AC PS, 2 SF, FAN	See Replacement Products
SI-10K-DC	10RU CHASSIS, 2 DC PS, 2 SF, FAN	See Replacement Products
SI-MM	MANAGEMENT MODULE, SI CHASSIS (NEBS CERTIFIED)	See Replacement Products
SI-SFM	SWITCH FABRIC, SI CHASSIS	See Replacement Products
SI-MM-SSL	MANAGEMENT MODULE FOR SI ADX CHASSIS WITH 1 SSL CARD PRE-INSTALLED (NEBS/FIPS CERTIFIED)	See Replacement Products
SI-MM-2	MANAGEMENT MODULE 2, SI CHASSIS	See Replacement Products
SI-MM-SSL-2	MANAGEMENT MODULE 2 FOR SI ADX CHASSIS WITH ONE AEM-SSL-2 CARD PRE-INSTALLED	See Replacement Products
SI-ASM8	APPL SWITCH MODULE, 8 PROC, SI CHASSIS	See Replacement Products
SI-4XG	4 X 10GBIT XFP LINE CARD, SI CHASSIS	See Replacement Products
SI-12GC	12 X 1GBIT RJ45 LINE CARD, SI CHASSIS	See Replacement Products
SI-12GF	12 X 1GBIT SFP LINE CARD, SI CHASSIS	See Replacement Products
SI-DCPWR	DC POWER SUPPLY, 1200 WATT, SI CHASSIS	See Replacement Products
SI-PSPNL	POWER SUPPLY BLANK PANEL, SI CHASSIS	See Replacement Products
SI-LCPNL	LINE CARD BLANK PANEL, SI CHASSIS	See Replacement Products
SI-ACPWR	AC POWER SUPPLY, 1200 WATT, SI CHASSIS	See Replacement Products
SI-MAPNL	MANAGEMENT OR ASM BLANK PANEL, SI CHASSIS	See Replacement Products
SI-1000-FAN-FLTR-KIT	FAN FILTER NEBS UPGRADE KIT FOR ADX 1000 PLATFORM	See Replacement Products
SI-AEM-SSL	SSL EXPANSION MODULE FOR ADX CHASSIS	See Replacement Products
SI-AEM-SSL-2	SSL EXPANSION MODULE 2 FOR ADX CHASSIS	See Replacement Products
XSI-8000-S	8RU CHASSIS FRU WITH FAN, NO PS, NO SF	See Replacement Products
XSI-4-FAN	FAN ASSEMBLY FRU, SI-4000 CHASSIS	See Replacement Products
XSI-8-FAN	FAN ASSEMBLY FRU, SI-8000 CHASSIS	See Replacement Products
XSI-4000-S	4RU CHASSIS FRU WITH FAN, NO PS, NO SF	See Replacement Products
XSI-10K-S	10RU CHASSIS FRU WITH FAN, NO PS, NO SF	See Replacement Products
XSI-10-FAN	FAN ASSEMBLY FRU, SI-10K CHASSIS	See Replacement Products
XSI-10-FILTER	FAN FILTER FRU, SI-10K CHASSIS	See Replacement Products
XFAN-1-9500	FAN ASSEMBLY FRU, ADX 1000	See Replacement Products
XSI-ASM4	REPLACEMENT ASM4; APPLY FACTORY LICENSE SW-SI-ASM4	See Replacement Products

Replacement Products

Brocade recommends evaluating Brocade virtual Traffic Manager (vTM) as a replacement for the ADX 1K/4K/10K. The vTM bare metal software option allows customers to seamlessly install vTM software on certified off-the-shelf x86 hardware. This physical form factor once deployed, will very closely resemble dedicated hardware but with all the additional benefits that vTM

software has to offer. In addition to the bare metal software package, vTM will continue to be available in other software packages as it is today.

For more information on Brocade vTM, Please reach out to your regional SE/Sales personal or refer to Brocade's vADC product page.

Note that all software features qualified for use under supported configurations of the ADX 1K/4K/10 will continue to be available after the Last Customer Shipment date of the ADX 1K/4K/10K offering.

Support Pricing

Subject to the provisions of your support agreement with Brocade, support and access to software for the product will be available through Brocade's 24x7 Technical Assistance Center (TAC) or on-line via the Brocade MySupport portal*. Beginning one (1) year after LCS (July, 2016), and until the EOS date (July, 2021), there will be a 10% annual price increase for end-user service and support.

5/2/2016 Note: This is update to the original notice to remove SI-1216-4-SSL-PREM from the list of EOL skus.



© 2015 Brocade Communications Systems, Inc. All Rights Reserved. Brocade, the B-wing symbol, and DCX are registered trademarks of Brocade Communications Systems, Inc., in the United States and/or in other countries. All other brands, products, or service names are or may be trademarks or service marks of, and are used to identify, products or services of their respective owners